

TITLE: SYSTEM AND METHOD TO DETERMINE THE TIME DOMAIN EQUALIZED SIGNAL-TO-NOISE RATIO OF A  
MASS STORAGE DEVICE

INVENTORS NAME: Edmun ChianSong Seng et al.  
DOCKET NO.: 934.138US1

1/12




FIG. 1

2/12




FIG. 2

3/12




FIG. 3

4/12




FIG. 4




FIG. 5

5/12




FIG. 6

TITLE: SYSTEM AND METHOD TO DETERMINE THE TIME DOMAIN EQUALIZED SIGNAL-TO-NOISE RATIO OF A  
MASS STORAGE DEVICE  
INVENTORS NAME: Edmun ChianSong Seng et al.  
DOCKET NO.: 934.138US1

6/12




FIG. 7

7/12




FIG. 8

8/12




FIG. 9

TITLE: SYSTEM AND METHOD TO DETERMINE THE TIME DOMAIN EQUALIZED SIGNAL-TO-NOISE RATIO OF A  
MASS STORAGE DEVICE  
INVENTORS NAME: Edmun ChianSong Seng et al.  
DOCKET NO.: 934.138US1

9/12




FIG. 10

10/12




FIG. 11

11/12




FIG. 12

12/12




FIG. 13